



FACILITIES PLANNING AND CONSTRUCTION

CAD Standards

October 2020

1	INTRODUCTION	2
1.1	Overview	2
1.2	Software	2
1.3	Key Terms	2
2	SUBMITTAL REQUIREMENTS.....	3
2.1	Compliance.....	3
2.2	Design.....	3
2.3	Record Drawings.....	3
3	DRAWING STRUCTURE.....	3
3.1	Model Space and Paper Space	3
3.2	External References – XREF’S.....	4
4	FILE STRUCTURE.....	4
4.1	Sheet Numbering.....	4
4.2	File Naming.....	4
5	LAYERS.....	5
5.1	Standard Layers.....	5
5.2	General Layer Rules.....	5
6	SYMBOLS AND BLOCKS	5
6.1	Symbols.....	5
6.2	Space Tag Info Block.....	5
6.3	Title blocks.....	6
6.4	Schedules.....	6
7	SETTINGS.....	6
7.1	Text Style	6
7.2	Drawing Units	6
7.3	Line types and Line Weights.....	6
8	ROOM NUMBERING	6
9	GEOGRAPHIC INFORMATION SYSTEMS (GIS) STANDARDS.....	6
10	3D GEOMETRIC REPRESENTATION	6

1 INTRODUCTION

1.1 Overview

These standards are issued to promote the development of AutoCAD® drawings suitable for use in the University of Houston (UH) and University of Houston System (UHS). Consistency and compatibility with existing UH and UHS AutoCAD® documents can only be achieved when these standards are strictly adhered to.

The purpose of this document is to serve as a tight specification for producing and delivering CAD drawings and image files that document as-built conditions for construction projects. The guidelines are intended to ensure consistency of materials and to maximize both short and long term usability of construction documentation. Before a capital project can be closed out and final payment from UH and UHS is rendered, all specified materials must be submitted to the appropriate UHS project manager or representative in accordance with the CAD standards and special instructions described throughout this document. Please see [Appendix H](#) for the FPC Project Documents Closeout Requirements. A signed copy of the Materials Checklist will be required to indicate review and acceptance of final AutoCAD® record drawings. It is the responsibility of the vendor (architect, engineer, contractor, etc.) to assure that all materials adhere to the standards and guidelines set forth in this document.

UH and UHS requires adherence to the most current United States National CAD Standard which incorporates the American Institute of Architects (AIA) CAD Layer Guidelines (CLG) in addition to the UH requirements outlined in this document. For additional detail beyond what is outlined herein, please refer to the United States National CAD Standard® (NCS) for guidance <http://www.nationalcadstandard.org>.

Please direct any questions or comments about this document to the address below.

University of Houston
Space Management and Analysis
Office of Facilities Information
4211 Elgin, Suite 200
Houston, TX 77004
Tel: 713-743-8025

1.2 Software

All project drawings must be submitted to the University of Houston in the most recent release of AutoCAD® software.

1.3 Key Terms

- As Built – Reflecting the exact condition of the building as it is constructed.
- AutoCAD® – CAD software from Autodesk.
- BIND (BOUND) - To make an external referenced drawing (XREF) a standard block definition within the AutoCAD® drawing database.
- BLOCK – One or more AutoCAD® objects grouped to create a single object.
- CAD – Computer Aided Drafting.
- DWG – A native AutoCAD® file format.

- Layer – A logical grouping of data, like transparent acetate overlays on a drawing.
- Record Drawing – The production of Record Drawings is the capturing of the As-Built Document's annotation, comments, and mark-ups in a drawing format only.
- RVT – A native Revit file format.
- SMA – Space Management and Analysis.
- GPS – Global Positioning System
- THECB – Texas Higher Education Coordinating Board
- UH – University of Houston
- UHS - University of Houston System
- XREF/LINK – External reference. A drawing file linked (or attached) to another drawing.

2 SUBMITTAL REQUIREMENTS

2.1 Compliance

The University of Houston acknowledges that many of its consultants do not use the same version of AutoCAD®. However, the University expects that service providers who work with other file formats will submit DWG formatted CAD files that are fully compliant with all of the outlined standards, and which have no loss of data that can result from standard CAD file translation procedures.

Non-compliance with this policy will result in the rejection of CAD files and will delay project closeout.

2.2 Design

The University of Houston requires that polyline CAD drawings be submitted to the Office of Space Management and Analysis (SMA) design efficiency compliance according to the Texas Higher Education Coordinating Board (THECB) standards. Please see the applicable UH/UHS agreement/contract for clarification on distribution of drawings. All drawings submitted during the design phase must have the layering standards described in section 5 and the block standards in section 6 of this document.

2.3 Record Drawings

Record drawing files submitted to the University of Houston at project closeout must be in the DWG format; no other file format will be accepted. Refer to [Appendix H](#) for the FPC Project Documents Closeout Requirements for transmittal requirements and deliverables.

3 DRAWING STRUCTURE

3.1 Model Space and Paper Space

All AutoCAD® drawings submitted to the University of Houston must contain only one drawing model with one title block.

- *Model Space* - Floor plans elevations, sections, relevant dimensions and other drawings shall be in model space only. Draw all model space objects at full scale and to scale.

- *Paper space* - Each CAD file shall be set up to contain only one title block in paper space which references the building model contained in model space. Refer to section 6.3 for more information on the title block.


3.2 External References – XREF’S

All AutoCAD® drawings submitted to the University of Houston with external references must be **bound** to the drawings.

4 FILE STRUCTURE

4.1 Sheet Numbering

There are three components that make up the sheet numbers: the discipline designator, the sheet type designator, and the sheet sequence number. All University of Houston project sheets shall follow the sheet numbering standards described below.



A = alphabetical character

N = numerical character

- *Discipline Designator* - Identifies the type of work that is included on the sheets, for example: architectural, plumbing, structural, etc. The discipline designator will be a single alphabetical character and a hyphen. See [Appendix A](#) for the primary list.
- *Sheet Types* - A single numerical character that represents the type of drawings that are on the sheet, for example: plans, elevations, schedules, etc. See [Appendix B](#) for the primary list.
- *Sequence Numbers* - Two numerical characters that place the sheets in order. Sequence numbering starts with 01 and can go up to 99; 00 is not permitted.

Example Sheet Numbers:

A-204: Architectural Elevations, fourth sheet

P-102: Plumbing Floor Plan, second sheet

4.2 File Naming

All AutoCAD® drawing files submitted to the University of Houston must use the naming convention described in this section in order to provide convenient and clear structure for organizing drawing files. Each drawing sheet in the project’s plan set shall be saved as an individual file. Drawing files must be composed of the building number, followed by the sheet number (see section 4.1), and lastly the year of project completion. Each component must be separated by an underscore. BLD#_SHEET NUMBER_YEAR.dwg

Example File Names:

506_A-103_2011.dwg

5 **LAYERS**

5.1 **Standard Layers**

Layers shall be based on the AIA CAD Layer Guidelines obtained from the United States National CAD Standard. Please refer to the National CAD Standard for guidance. The University of Houston has defined a list of layers designated for internal space management uses. These layers are:

- **A-SPACE-IDEN** - This layer will contain the “Space Tag Info Block” at the room and floor level. See section 6.2 for more information about the “Space Tag Info Block.”
- **A-AREA-SPACE-PPLN** - This layer will contain the closed polylines for each room. The closed polyline for each room will calculate the room area and shall follow the inside surfaces of the interior walls of a room.
- **A-AREA-GROSS** - This layer will contain the closed polyline for the individual floors of a building. The closed polyline will calculate the gross area around the outside faces of exterior walls (disregarding cornices, pilasters, buttresses, etc., which extend beyond the wall faces) for all floors of a building or areas that house floor surfaces including attics, basements, sub-basements, penthouses, mechanical rooms, etc.

5.2 **General Layer Rules**

The following layering rules must always be followed:

- Use the minimum number of layers necessary to adequately separate entities in each drawing.
- Purge each drawing of unused layers prior to submittal. The drawing file should contain only those layers necessary for displaying and plotting the information and drawing entities contained in each drawing.

6 **SYMBOLS AND BLOCKS**

6.1 **Symbols**

All drawings must contain the following symbols:

- ***Scale*** - A symbol that shows the size of a floor plan in relation to feet.
- ***North Arrow*** - A symbol that indicates which side of the floor plan is north.

6.2 **Space Tag Info Block**

- ***Room*** - Each space or room shall have a respective “Space Tag Info Block” with room number, space name, and area in square feet. Refer to [Appendix C](#) for an example of this block. The room area attribute or parameter contained in the A-AREA-SPACE-PPLN layer shall have a link with this block to provide an automatic field update. This block shall provide data that can be exported from each floor plan. The layer for this block is A-SPACE-IDEN.
- ***Floor*** - Each floor plan shall contain the “Space Tag Info Block” at the floor level that contains the floor number, floor name, and floor area in square feet. Refer to [Appendix C](#) for an example of this block. The area attribute or parameter contained in the A-AREA-GROSS shall have a link with this block to provide an automatic field update.

6.3 Title blocks

All AutoCAD® drawings submitted to the University of Houston must use the title block template provided by UH and should contain the information listed below. There should be no information outside of the title block, including text. See [Appendix E](#) for sample title blocks.

- Issue date
- Sheet number
- Sheet title
- Revision history
- Drawing phase
- University of Houston project number (if applicable)
- Architect, engineer, consultant information

6.4 Schedules

All schedules (equipment, electrical, material, etc.) must be contained in a block with attributes that can be used to produce an automatic table. All applicable information must be included, examples of schedules can be found in [Appendix D](#).

7 SETTINGS

7.1 Text Style

Text styles and fonts may vary, but the University of Houston requires the use of SIMPLEX.shx in drawings. Special fonts which are not packaged with AutoCAD® are not allowed. Dimensions, labels, and notes should not be less than 1/8" height on printed drawings.

7.2 Drawing Units

All CAD drawing models should be drafted at full scale and to scale, in architectural units or engineering units.

7.3 Line types and Line Weights

Drawing line types and line weights must comply with those provided in the United States National CAD Standard.

8 ROOM NUMBERING

Building numbers are assigned by the Office of Space Management and Analysis (SMA). Room numbers are assigned by the A/E and reviewed/modified/approved by SMA. Please refer to the [Building and Room Numbering Guidelines](#) for more details. The University of Houston requires that polyline CAD drawings be submitted for room numbering during the design phase. Please see section 2.2 for design drawing requirements.

9 GEOGRAPHIC INFORMATION SYSTEMS (GIS) STANDARDS

This section will be updated at a later date.

10 3D GEOMETRIC REPRESENTATION

This section will be updated at a later date.



FACILITIES SERVICES

[About Us](#)


[News and Events](#)

[Programs](#)

[Contact Us](#)

CAD Standards

- [CAD Standards](#)
- [Appendix A - Discipline Designators](#)
- [Appendix B - Sheet Type](#)
- [Appendix C - Space Tag Info Block](#)
- [Appendix D - Examples of Schedules](#)
- [Appendix E - UH Title Blocks](#)
 - [.DWG](#)
 - [.PDF AL Letter](#)
 - [.PDF AP Letter](#)
 - [.PDF 11 inch X 17 inch](#)
 - [.PDF 24 inch X 36 inch](#)
 - [.PDF 30 inch X 42 inch](#)
 - [.PDF 36 inch X 48 inch](#)
 - [.RFA 11 inch X 8 inch Landscape](#)
 - [.RFA 11 inch X 8 inch Portrait](#)
 - [.RFA 24 inch X 36 inch](#)
 - [.RFA 30 inch X 42 inch](#)
 - [.RFA 36 inch X 48 inch](#)
- [Appendix F - Sample Floor Plan](#)
- [Appendix G - UH Logos](#)
 - [Interlocking UH - CMYK | Gray | White & Gray | White & Red](#)
 - [University of Houston - Red | Black | Red & Gray](#)
- [Appendix H - FPC Project](#)



RELATED LINKS

[Classroom and General Space Standard](#)

[Facilities Space Reporting Manual](#)

[UHS BIM Protocol](#)

PLANTOPS FOCUS



[Cemo Hall: Building Upon Success](#)

Documents Closeout Requirements

University of Houston



University of Houston
Houston, Texas 77204
(713) 743-2255

[A-Z Index](#)

[Academic Calendar](#)

[Campus Carry Policy](#)

[Campus Map](#)

[Career Opportunities](#)

[Directory](#)

[Emergency Information](#)

[Get Help](#)

[Human Resources](#)

[Library](#)

[Mental Health Resources](#)

[Fraud & Non-Compliance
Hotline](#)

[Office of the President](#)

[Parking](#)

[Report Copyright
Infringement](#)

[Discrimination and Sexual
Misconduct Reporting and
Awareness](#)

[Open Records/Public
Information Act](#)

[Texas Veterans Portal](#)

[Tuition & Fees](#)

[UH System](#)

[Virtual Tour](#)



©2020 University of Houston. All rights reserved. [Report a problem with this page](#) [Texas.gov](#)
[Texas Homeland Security](#) [TRAIL](#) [Fraud Reporting](#) [Fraud & Non-Compliance Hotline](#) [Linking Notice](#)
[Privacy Notice](#) [Open Records/Public Information Act](#) [Institutional Résumé](#) [Required Reports](#)
[Electronic & Information Resources](#) [Accessibility](#)
[Discrimination and Sexual Misconduct Reporting and Awareness](#) [University Policies](#)

DISTRIBUTION PANELBOARD SCHEDULE

VOLTS/PHASE/WIRE:	PANEL SIZE & TYPE:	MAIN SIZE & TYPE:	CABINET:	MIN SCC:
--------------------------	-------------------------------	------------------------------	-----------------	-----------------

FEEDER SIZE:	NOTES:
---------------------	---------------

NO	TRIP	AREA SERVED	WIRE & CONDUIT	kW (HP)	A	B	C
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							

