

ELEVATORS - Division 14

DIVISION 14	SECTION	TITLE	REVISION DATE	REVISION HIGHLIGHTS	PREVIOUS VERSION
	14 2100	Electric Traction Elevators	01.2026	1.8 Warranty change from 24 to 12 months 1.9 Maintenace change from 24 to 12 months 2.1.A. Manufacturers and Installers updated list 2.3.E.4 Added travel communication cable criteria allowing for security camera 2.11.A.7.f. UH use group clarification for cab finishes	06.2020
	14 2400	Hydraulic Elevators	01.2026	1.2.C. Clarify jackholes = singular, one per hoistway. 1.9.A. Maintenance change from 24 to 12 months 2.1.A. Updated list of Acceptable Manufacturers 2.1.B Updated list of Acceptable installers. 2.1.D - Maximum stop limitation added 2.2.D. Hydraulic oil spec clarification. 2.3.E.4 Added travel communication cable criteria allowing for security camera 2.7.A.3.a Deleted descriptive limits of finish 2.11.A.3. a, b. added benchmark for starts per hour 2.11.A.7.f. UH use group clarification for cab finishes 2.11.A. 10.c. weather resistant hoistway features	07.2023
	14 2400	Hydraulic Elevators	07.2023	1.8.A - Reduced manufacturer warranty from 24 months to 12 months 1.9.A.1 - Added requirement for timely service records 2.1.A - Updated list of acceptable manufacturers. No substitutions 2.1.B - Added non-restrictive list of acceptable installers 2.1.C - Specified requirement for non-proprietary equipment and software 2.1.D - Specified requirement for petroleum-based hydralic oil 2.8.B - Included aluminum diamond floor plate	06.2020