

 UNIVERSITY OF HOUSTON

INTERIOR SIGN PROGRAM

DESIGN GUIDELINES

Update **v.8a** 02.12.2026

Creation Dates **v.1** 01.14.14 **v.2** 10.31.17 **v.3** 01.15.18
v.4 05.07.19 **v.5** 10.22.19 **v.6** 06.05.20
v.7 02.15.21 **v.8** 02.15.21

GENERAL INFORMATION

Sheet #	Type	Description
00.1	-	Updates to Guidelines
00.2	-	General Notes - Colors / Materials / Type / Symbol
00.3	-	General Notes - Fabrication and Installation
00.4	-	Sign Family - Types A through E
00.5	-	Sign Family - Types F through K
00.6	-	Sign Family - Types L through O
00.7	-	Sign Family - Gray Accent Option

WAYFINDING SIGNAGE

Sheet #	Type	Description
01	A	Room Plaque - Flexible Name Insert (typical with red accent)
02	A	Room Plaque - Alternative with Gray Accent
03	B	Room Plaque - Permanent Use Space
04	C	Number Plaque
04	D	Clear View Sheet Holders
05	E	Restroom Plaque
05	E1	Male-Female Restroom Plaque
05	E2	Mothers Room Plaque
05	E3	Sharps Disposal Plaque
06	E4	Elevator Cab Interior Identification Plaque
07	E5	Elevator Identification Plaque
07	E6	Elevator Jamb Floor Level Identification
08	F	Stairwell Identification Plaque - Occupant Side
08	F1	Stairwell Plaque - Stairwell Side (2 stories or less)
09	F2	Stairwell Plaque - Stairwell Side (3 stories or more)
10	F3	Elevator Egress Plaque
11	F4	Hallway Egress Plaque
12	F5	Maximum Occupancy Plaque
12	F6	Area of Refuge Plaque - Occupant Side
13	G	Miscellaneous Vinyl
14	J	Directory (Building - Typical at Entrance and Elevators)
15	J1	Directory (Department)
16	K	Suite Entry Vinyl
17	K1	Suite Identification Plaque (Multi-Tenant)
18	K2	Reception Wall Type
19	L	Wayfinding Panel (Suspended)
20	L1	Wayfinding Panel - (Wall Mount, Small)
20	L2	Wayfinding Panel - (Wall Mount, Large)
20	L3	Wayfinding Panel - (Max. 5 Listings - Wall Mount)
21	M	Flag Sign (Restrooms)
21	M1	Flag Sign (AED Equipment)
21	M2	Flag Sign (Fire Extinguisher)
22	N	Assistive Listening Plaque (Classroom Side)
23	O	Need Assistance Plaque (Classroom Side)
23.a	S	Campus Recycling Panel

PUBLIC ART

Sheet #	Type	Description
24	PA1	Public Art Plaque - Acrylic
24	PA2	Public Art Plaque - Stainless Steel

DONOR

Sheet #	Type	Description
25	-	Type R Sign Family
26	R1	Recognition Plaque
27	R2	Recognition Cut Letters
28	R3	Tribute Plaque
29	R4	Group Donor Plaque
30	R5	Standard Donor Wall
31	R6	Donor Story Plaque

**UH Interior Sign Program V.6
06.05.2020**

UPDATES IN v.6

Global

Title blocks update
Drawing Set reorganized and sheet numbering updated
Thermoform acrylic added to material specifications
UH logo lockup updated

Cover Sheet updated

Sheet 00

New sign types added to Index
New project symbols added to library
Project colors and materials updated
Sign index update
General notes edited

Sheet 01

Fabrication notes updated
Plaque thickness adjusted

Sheet 02

Fabrication notes updated
Plaque thickness adjusted

Sheet 03

Fabrication notes updated
Type C dimensions updated
Installation configurations expanded

Sheet 04

Fabrication notes updated
Type E1 Sharps Disposal fabrication detailed

Sheet 05

Fabrication notes updated
Type E3 General Purpose Classroom plaque detailed

Sheet 06

Fabrication notes updated
Type M1 AED Flag and M2 Fire Extinguisher Flag added

Sheet 07

Fabrication notes updated

Sheet 08

Fabrication notes updated

Sheet 09

Fabrication notes updated
Type F Stairwell and P Occupancy updated and added

Sheet 10

Fabrication notes updated
Type F1 Stairwell plaque added

Sheet 11

Fabrication notes updated
Type F1 Stairwell plaque added

Sheet 12

Fabrication notes updated

Sheet 13

Fabrication notes updated

Sheet 14

Fabrication notes updated

**UH Interior Sign Program V.7
02.15.2021**

UPDATES IN v.7

Global

Title blocks update
Verified and adjusted dimensions
Fabrication Notes revised for clarity

Cover Sheet updated

Sheet 00

Updated General Notes

Sheet 04

Added Note: Provide Sharps signs on the first floor of every building at each public Men's restroom, each public Women's restroom, and each public All Gender restroom.

Sheet 05

Added Note: Provide Need Assistance signs at general purpose classrooms controlled and scheduled by the University Registrar and also at classrooms controlled by individual colleges or departments. For classrooms controlled by colleges and departments, consult with the UH Project Manager to obtain the correct Technology phone number, which will be different from the number for general purpose classrooms.

Added Note: Provide Type D sheet holders only at classrooms with moveable furniture.

Sheet 06

Added Note: Provide M2 flag signs in close proximity to fire extinguishers located (1) on the normal path of exit travel in public hallways and (2) in laboratories and workshops. M2 flag signs are generally not necessary in electrical and other rooms.

Sheet 10

Updated Note

Sheet 15

Added LEED Certification Plaque
Added Public Art Plaques (PA Series)

Sheets 16 - 21

Incorporated Interior Donor Signage (R Series)

**UH Interior Sign Program V.8
05.10.2024**

UPDATES IN v.8

Global

Title block update
Dimensions verified and adjusted
Fabrication notes revised for clarity
Replaced UH wordmark with University name in Helvetica

Cover Sheet updated

Re-Ordered Sheet Numbers

Sheet 00.2

Updated Font Styles (Eliminated Trade Gothic, Added Helvetica)

Sheets 00.2 - 05 Revised pictograms for Mothers Room.

Sheet 00.7

Added Grey Accent option.

Sheet 06

Added Sign Type E4, Elevator Cab Interior Identification.

Sheet 07

Added Sign Type E5, Elevator Identification. E6 Floor Level Identification.

Sheet 08

Renamed Sign Types F/F1/, Stairwell Plaques and Maximum Occupancy.

Sheet 09

Re-numbered Sign Type F2, Stairwell Plaque-stairwell side, 3 or more stories.

Sheet 10

Egress art diagram clarified with color information added.

Sheet 11

Clarified Hallway Egress art diagram. Added color information.

Sheet 12

Added Sign Type F6, Area of Refuge Plaque.

Sheet 16

Added Sign Type K, Suite Entry ID vinyl.

Sheet 17

Added sign Type K1 Suite Identification Plaque.

Sheet 18

Added Sign Type K2, Reception Wall Type.

Sheet 20

Added Sign Types L1. L2, L3, Wayfinding Plaques.

Sheet 22

Added sign Type N Assistive Listening Plaque.

Sheet 24

Updated Public Art plaques Types PA1 and PA2 with revised Public Arts logo.

Sheet 25

Updated Donor Recognition sign types.

Sheets 26 – 24

Updated sign type (R series).

Sheet 29

Added Sign Type R4 and R4A, Group Tribute Plaques.

Sheets 30 – 31

Re-Ordered Sign Types R5 and R6, Donor Wall.

Relocated LEED Plaque to Exterior Signage Standards

**UH Interior Sign Program V.8a
02.12.2026**

UPDATES IN v.8a

Sheet 05

New Male-Female Restroom Plaque Replacement

Sheet 20

Sign Types L1/L2/L3 Updated Dimensions

Sheet 23.1

Sign Type S, Campus Recycling Panel Added

ISSUE	DATE
REFERENCE SET	05.10.2024
-	-



PROJECT GRAPHICS

PROJECT SYMBOLS



UNIVERSITY OF HOUSTON

Electronic logo files provided by Owner.
Request vector file through UH Branding at
www.uh.edu/marcom/requests/logo/



PROJECT TYPE STYLES

Frutiger 55 Roman
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890

Helvetica Neue Medium
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890

Helvetica Neue Regular
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890

Frutiger 65 Bold
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890

Helvetica Neue Bold
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890

Helvetica Neue Light
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890

ADA Tactile Compliant
Purchase Fonts from www.linotype.com

PROJECT COLORS, MATERIALS AND FINISHES

Paint Colors

- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** **Painted Acrylic**
- M2** **Aluminum**
- M3** **Vinyl**
- M4** **Thermoform Acrylic**
- M5** **Stainless Steel**

Vinyl Colors

- V1** **Vinyl** **Black** to match 3M Series 220 Black
- V2** **Vinyl** **White** to match 3M Series 220 White
- V3** **Vinyl** **Gray** to match 3M Series 220 Dark Grey

All specified colors are from the Matthews Paint System (MP) and are the basis of design for UH interior signage standards. A fabricator may substitute a matching color from another manufacturer's paint system only with Facilities Planning approval.

Pantone (PMS) or RAL colors are NOT equivalent and their use for interior signage is NOT approved, except for digital graphics such as fire egress floor plans.

General Notes

Colors / Materials /
Type / Symbols

GENERAL NOTES FOR FABRICATION AND INSTALLATION

THESE DESIGN GUIDELINES REPRESENT DESIGN INTENT ONLY AND INDICATE THE OWNER'S INTENTIONS FOR PRODUCT SIZES, MATERIALS, FINISHES, AND INSTALLATION. THE CONTRACTOR IS REQUIRED TO PROVIDE SHOP DRAWINGS AND DETAILS FOR EACH SIGN TYPE AND, WHERE NECESSARY, TO PROVIDE DETAILED DRAWINGS STAMPED BY A LICENSED ENGINEER. SHOP DRAWINGS MUST BE APPROVED BY OWNER AND ARCHITECT/DESIGNER BEFORE FABRICATION.

1. Written dimensions have precedence over scaled dimensions. Notify Owner of any variations from the dimensions, materials, and conditions shown by these drawings prior to execution of any work.
2. Sign copy in these Design Guidelines is representative and is subject to change. Refer to final approved message schedule for final copy on all signs.
3. The Design Guidelines reflect best efforts to interpret and apply standards established by the Americans with Disabilities Act of 1991 and as set forth by the Equal Opportunities Commission and the Department of Justice. The Owner will not be held responsible for the interpretation of ADA Laws by others.
4. Notify Owner of any discrepancies in these documents immediately. Do not proceed or allow sub-fabricators to work in those areas until said discrepancies are resolved.
5. Conform to the intent of these Design Guidelines. Submit shop drawings to Owner and Architect/Designer for approval prior to fabrication. The submittal shall include the following:
 - 5.a Shop drawings for all sign types including fabrication details, structural details, installation specifications, etc.
 - 5.b Face layouts for all signs
 - 5.c Location plans created by Architect
 - 5.d Samples for all finishes and materials
 - 5.e Prototype(s) for approval of all sign types
6. Partial or incomplete submittals will be rejected.
7. Provide Grade 2 braille on all sign types requiring braille. This braille shall conform to ADA codes and regulations.
8. Perform all work in accordance with applicable codes and to the highest standards of trade practice. All sign components are to be straight, square, and true to one another. All material joints and seams are to be fabricated so that joints and seams are unnoticeable unless specified otherwise in these Design Guidelines.
9. Prior to commencing any work, review with Owner and Architect/Designer the phasing of work and secure approval from all parties.
10. Meet Class III flame spread ratings of 76 to 200, as per applicable code for all interior finish and trim materials.
11. Provide and install adequate blocking for all wall hung and wall supported items except for those items that are hung from items not in contract.

12. Patch and repair all existing surfaces as required prior to applying new finishes. All openings, voids, or unfinished surfaces created by removal or alteration of existing work shall be closed or patched and finished as necessary to match existing continuous surfaces or new finishes required.

13. Install all hangers, channels, rods and other miscellaneous support steel as necessary for the support of suspended equipment (signage). Fasten Supports to the existing structure in such a manner as to not compromise its existing structural integrity or fire rating.

14. Keep the site work area(s) clear of unnecessary debris and keep all work area(s) secured when unattended for the duration of the installation period.

15. Clean the site of all unnecessary debris and clean all glass, chrome, and any other items before vacating the site and final Owner acceptance.

16. Warrant that all merchandise is free of defects in material or workmanship. Provide Owner with a written warranty to replace or repair any merchandise that fails to conform to above for a period of no less than one (1) year from date of final acceptance.

17. Architect/Designer will inspect work after installation and submit a punchlist to the UH Project Manager.

ISSUE	DATE
REFERENCE SET	05.10.2024
REVISION	06.20.2024


SIGN FAMILY



Type A Room Plaque Typical with Red Accent
(With flexible name insert)




Type A Room Plaque Alternative with Gray Accent.
Gray accent applies to entire collection of sign types if used. See Sheet 07 for complete family of Gray Accent plaques



Type B Room Plaque (Permanent Use Space)



Type C Number Plaque



Type D Clear View Sheet Holder




Type E Restroom Plaque



Type E1 Male-Female Restroom Plaque



Type E2 Mothers Room Plaque



Type E3 Sharps Disposal Plaque



Type E4 Elevator Cab Interior Identification Plaque



Type E5 Elevator Identification Plaque



Type E6 Elevator Jamb Floor Level Identification

ISSUE	DATE
REFERENCE SET	05.10.2024
REVISION	02.12.2026



SIGN FAMILY



Type F Stairwell Identification Plaque - Occupant Side



Type F5 Maximum Occupancy Plaque




Type F6 Area of Refuge Plaque - Occupant Side (Unsprinklered Buildings Only)

FIRE DOOR
KEEP CLOSED


Type G Miscellaneous Vinyl




Type F1 Stairwell Plaque - Stairwell Side (2 stories or less)



Type F2 Stairwell Plaque - Stairwell Side (3 stories or more)



Type F3 Elevator Egress Plaque




Type F4 Hallway Egress Plaque

UH Cullen College of Engineering Building 2		www.egr.uh.edu	
4	Office of the Dean Graduate Programs External Relations Advancement Research and Facilities Business Administration Sponsored Research and Institutional Effectiveness	E421 W438	
3	Communications Undergraduate Programs PROMES	E301 E316	The Associate Dean for Undergraduate Admissions is located in E316
2	Industrial Engineering	E206	
1	Computing Center Lecture Hall	W129 W122	


Type J Directory (Building) Typical at Entries and Elevators

UH Cullen College of Engineering		Civil and Environmental Engineering	
Faculty	Staff	Programs	
A. Bajardi N108 S. Chellan N113 M. Darsood N124 B. Gencturk N124 C. Glennie CPH403 K. Han N115 R. Herman N115 T. Hsu N114 Y. Hu N117 M. Lee CPH454 M. Li N132 M. Luo N135 K. Nakanahara N138 N. Patel N122 B. Riley N128 D. Rodrigues CPH351 R. Srivastha N119 K. Srinon E421 J. Tadisco N133 C. Vedula N120 K. Wang N110	A. Brown N129 C. Laitao E411 G. McTigret SPA153 J. Miller ERP7-200 M. Modakha W456A L. Murphy CPH460 L. Paoletta N107 D. Rogner N121 C. Wallace W411 S. Williams N120 N107	Environmental Engineering Geospatial Engineering	
Advising			
R. Herman CPH351 N115 H. Kim CPH351 ENVE N138 K. Wang CPH351 CEVE N130			

Type J1 Directory (Department)



Type K Suite Entry Vinyl







Type K2 Reception Wall Sign (Raised Letters)



Type K1 Suite Identification Plaque (Multi-Tenant)

SIGN FAMILY



Type S Campus Recycling Panel
(Wall Mounted)

ISSUE	DATE
REFERENCE SET	05.10.2024
REVISION	07.22.2024
REVISION	02.12.2026

Type L Wayfinding Panel
(Suspended)

Type L1 Wayfinding Panel
(Wall Mounted, Small)
Connected Buildings


Type L2 Wayfinding Panel
(Wall Mounted, Large)
Connected Buildings

Type L3 Wayfinding Panel
(Wall Mounted)
Single Building
Maximum five listing

ISSUE	DATE
REFERENCE SET	05.10.2024
REVISION	02.12.2025



Type M Flag Sign (Restrooms)



Type M1 Flag Sign (AED Equipment)



Type M2 Flag Sign (Fire Extinguisher)



Type N Assistive Listening Plaque
(Classroom Side)



Type O Need Assistance Plaque
(Classroom Side)



SIGN FAMILY - GRAY PALETTE



Type A Room Plaque
(With flexible name insert)



Type B Room Plaque (Permanent Use Space)



Type E Restroom Plaque



Type E1 Male-Female Restroom Plaque



Type E2 Mothers Room Plaque




Type M Flag Sign (Restrooms)




Type M1 Flag Sign (AED Equipment)




Type M2 Flag Sign (Fire Extinguisher)



Type J Directory (Building - Typical at Entries and Elevators)




Type J1 Directory (Department)




Type K1 Suite Identification Plaque (Multi-Tenant)




Type L Wayfinding Panel (Suspended)



Type L1 Wayfinding Panel (Wall Mounted, Small) Connected Buildings



Type L2 Wayfinding Panel (Wall Mounted, Large) Connected Buildings




Type L3 Wayfinding Panel (Wall Mounted) Single Building Maximum five listing


CONTRACTOR TO PROVIDE:

- Shop drawings
- Face layouts for all signs
- Location Plan
- Paint and Material samples
- 3-1/2x3-1/2" (Quantity 4)
- Prototype(s) for approval of all sign types

CONTRACTOR TO VERIFY FIELD CONDITIONS




Mounting Guidelines (Wall)
Sign to mount with VHB foam tape and silicone




Installation on glass requires opaque white vinyl applied on first surface prior to mounting plaque. Plaque applies to vinyl.

ISSUE	DATE
REFERENCE SET	05.10.2024



Type A
Room Plaque (Flexible)

- Acetate inserts by contractor using message schedule from Architect/Owner
- Print on laser printer, cut to fit - 2-3/8" x 8-1/2"
- Required Font - Helvetica light upper and lower case, 48pt



Acetate insert layout option for shared office

Fabrication Notes

- A** 1/8" Thermoform plaque painted [MP32071 White Wonder, satin]. Plaque applied to 1/4" back plate painted [MP32071 White Wonder, satin]
- B** Acrylic square painted [Matthews MP12602 Scarlata, satin], exposed edges to be painted same color
- C** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- D** Braille painted [MP32071 White Wonder, satin]
- E** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]
- F** Clear matte acrylic window
- G** Visible seam created by lightly eased edges
- H** Acetate Insert

Paint Colors

- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** **Painted Acrylic**
- M2** **Aluminum**
- M3** **Vinyl**
- M4** **Thermoform Acrylic**
- M5** **Stainless Steel**


Sign Type

A
Room Plaque
(Flexible Name
Insert)

CONTRACTOR TO PROVIDE:

- Shop drawings
- Face layouts for all signs
- Location Plan
- Paint and Material samples
- 3-1/2x3-1/2" (Quantity 4)
- Prototype(s) for approval of all sign types




CONTRACTOR TO VERIFY FIELD CONDITIONS



Mounting Guidelines (Wall)
Sign to mount with VHB foam tape and silicone




Installation on glass requires opaque white vinyl applied on first surface prior to mounting plaque. Plaque applies to vinyl.



Type A
Room Plaque (Flexible)

- Acetate inserts by contractor using message schedule from Architect/Owner
- Print on laser printer, cut to fit - 2-3/8" x 8-1/2"
- Required Font - Helvetica light upper and lower case, 48pt



Acetate insert layout option for shared office

Fabrication Notes

- A** 1/8" Thermoform plaque painted [MP32071 White Wonder, satin]. Plaque applied to 1/4" back plate painted [MP32071 White Wonder, satin]
- B** Acrylic square painted [Matthews MP10124 Gloomy Grey satin], exposed edges to be painted same color
- C** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- D** Braille painted [MP32071 White Wonder, satin]
- E** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]
- F** Clear matte acrylic window
- G** Visible seam created by lightly eased edges
- H** Acetate Insert

Paint Colors


- P1** Light Gray to match Matthews MP03340 Grey Fog, satin
- P2** Dark Gray to match Matthews MP10124 Gloomy Grey, satin
- P3** Red to match Matthews MP12602 Scarlata, satin
- P4** Black to match Matthews MP33764 Black Indigo, satin
- P5** White to match Matthews MP32071 White Wonder, satin
- P6** Blue to match Matthews MP00359 Belize Blue, satin
- P7** Grey Metallic to match Matthews MP18145 Lead Grey Metallic

Material


- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel



ISSUE	DATE
REFERENCE SET	05.10.2024




Type B
Room Plaque (Permanent Use Space)




TYPICAL LAYOUT EXAMPLES

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**



Mounting Guidelines (Wall)
Sign to mount with VHB
foam tape and silicone



Installation on glass requires opaque
white vinyl applied on first surface
prior to mounting plaque. Plaque
applies to vinyl.

Fabrication Notes

- A** 1/8" Thermoform plaque painted [MP32071 White Wonder, satin]. Plaque applied to 1/4" back plate painted [MP32071 White Wonder, satin].
- B** Acrylic square painted [Matthews MP12602 Scarlata, satin], exposed edges to be painted same color
- C** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- D** Braille painted [MP32071 White Wonder, satin]
- E** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]
- F** Visible seam created by lightly eased edges

Paint Colors


- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** **Painted Acrylic**
- M2** **Aluminum**
- M3** **Vinyl**
- M4** **Thermoform Acrylic**
- M5** **Stainless Steel**



Sign Type B
Room Plaque
Permanent Use
Space

ISSUE	DATE
REFERENCE SET	05.10.2024





Type C
Room Plaque (Number Only)

Note: For limited use only at storage closets and similar spaces that are nested inside another room and do not require a name.



Type D Clear View Sheet Holder
Aluminum sheet holder with clear acrylic lens, sized for an 8-1/2 x 11" vertical sheet.

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**



Fabrication Notes

- A** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin]
- B** Raised letters, painted [Matthews MP10124 Gloomy Grey, satin]
- C** Braille painted [MP32071 White Wonder, satin]
- D** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]



Paint Colors

- P1** Light Gray to match Matthews MP03340 Grey Fog, satin
- P2** Dark Gray to match Matthews MP10124 Gloomy Grey, satin
- P3** Red to match Matthews MP12602 Scarlata, satin
- P4** Black to match Matthews MP33764 Black Indigo, satin
- P5** White to match Matthews MP32071 White Wonder, satin
- P6** Blue to match Matthews MP00359 Belize Blue, satin
- P7** Grey Metallic to match Matthews MP18145 Lead Grey Metallic




Material

- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel

ISSUE	DATE
REFERENCE SET	05.10.2024
REVISION	02.12.2026



Note: Provide Sharps signs on the first floor of every building at each public men's restroom, each public women's restroom, and each public All Gender restroom. Locate plaque 1/8" above restroom plaque as shown.



Fabrication Notes


- A** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin]
- B** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- C** Braille painted [MP32071 White Wonder, satin]
- D** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]
- E** Acrylic square painted [Matthews MP12602 Scarlata, satin], exposed edges to be painted same color
- F** 1/14" acrylic plaque, painted [MP32071 White Wonder, satin]. Copy Screenprints to match [Matthews MP00359 Belize Blue, satin]

Paint Colors

- P1** Light Gray to match Matthews MP03340 Grey Fog, satin
- P2** Dark Gray to match Matthews MP10124 Gloomy Grey, satin
- P3** Red to match Matthews MP12602 Scarlata, satin
- P4** Black to match Matthews MP33764 Black Indigo, satin
- P5** White to match Matthews MP32071 White Wonder, satin
- P6** Blue to match Matthews MP00359 Belize Blue, satin
- P7** Grey Metallic to match Matthews MP18145 Lead Grey Metallic


Material

- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel



Type E4
Elevator Cab Interior Identification Plaque

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**



Mounting Guidelines (Typical)
Mount centered above panel controls,
60" from floor to top of plaque.
Plaque to mount with VHB foam tape
and silicone.

Fabrication Notes

- A** 1/4" thick, thermoform acrylic plaque painted P3 [MP12602 Scarlata]
- B** Raised copy and braille. Braille [MP12602 Scarlata, satin], Copy painted P5 [MP32071 White Wonder].
- C** 1/16" undersized black acrylic spacer plate


FONT - FRUTIGER 55 ROMAN

Paint Colors



- P1** ■ **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** ■ **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** ■ **Red** to match Matthews MP12602 Scarlata, satin
- P4** ■ **Black** to match Matthews MP33764 Black Indigo, satin
- P5** ■ **White** to match Matthews MP32071 White Wonder, satin
- P6** ■ **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** ■ **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** ■ **Painted Acrylic**
- M2** ■ **Aluminum**
- M3** ■ **Vinyl**
- M4** ■ **Thermoform Acrylic**
- M5** ■ **Stainless Steel**




Type E5
Elevator Identification Plaque



Type E6
Elevator Jamb, Floor Level Identification Plate

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**



Mounting Guidelines (Typical)

- E5**
Align with top edge of jamb frame.
Plaques to mount flush to wall surface with VHB foam tape and silicone.
- E6**
Inside jamb - occupant side.
Each elevator to receive 2 plates.
Plates to mount with VHB foam tape and silicone.

Fabrication Notes

- A** 1/8" thick, Thermoform acrylic plate painted P1, [MP03340 Grey Fog]
- B** Plate and braille painted [MP03340 Grey Fog]. Raised copy painted P4, [MP33764 Black Indigo]
- C** 1/8" thick, Thermoform acrylic plate painted P1, [MP03340 Grey Fog]
- D** Raised copy painted P4, [MP33764 Black Indigo]

FONT - FRUTIGER 55 ROMAN


Paint Colors

- P1** Light Gray to match Matthews MP03340 Grey Fog, satin
- P2** Dark Gray to match Matthews MP10124 Gloomy Grey, satin
- P3** Red to match Matthews MP12602 Scarlata, satin
- P4** Black to match Matthews MP33764 Black Indigo, satin
- P5** White to match Matthews MP32071 White Wonder, satin
- P6** Blue to match Matthews MP00359 Belize Blue, satin
- P7** Grey Metallic to match Matthews MP18145 Lead Grey Metallic

Material


- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel

ISSUE	DATE
REFERENCE SET	05.10.2024




**Note: Use sign Type F1 in two-story buildings.
For buildings of three or more stories, refer to sign type F2.**

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
 - 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**



**Mounting Guidelines Type F
(Hallway - Occupant Side)**
Sign to mount with VHB foam tape and silicone



**Mounting Guidelines Type F1
(Stairwell - Stairwell Side)**
Sign to mount with VHB foam tape and silicone

Fabrication Notes


- A** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin]
- B** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- C** Braille painted [MP32071 White Wonder, satin]
- D** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors


- P1** Light Gray to match Matthews MP03340 Grey Fog, satin
- P2** Dark Gray to match Matthews MP10124 Gloomy Grey, satin
- P3** Red to match Matthews MP12602 Scarlata, satin
- P4** Black to match Matthews MP33764 Black Indigo, satin
- P5** White to match Matthews MP32071 White Wonder, satin
- P6** Blue to match Matthews MP00359 Belize Blue, satin
- P7** Grey Metallic to match Matthews MP18145 Lead Grey Metallic

Material

- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel



- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**



Mounting Guidelines Type F2
(Stairwell - Stairwell side)
Sign to mount with VHB foam tape and silicone

Type F2
Stairwell / Level Identification Plaque - Stairwell Side

Note: Use sign type F2 in buildings of three or more stories. Comply with NFPA 101, section 7.2.2.5.4.

Architect/Owner to furnish message schedule

Fabrication Notes


- A** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin] first surface
- B** Raised letters and graphics painted [Matthews MP10124 Gloomy Grey, satin]
- C** Braille painted [MP32071 White Wonder, satin]
- D** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors

- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic


Material

- M1** **Painted Acrylic**
- M2** **Aluminum**
- M3** **Vinyl**
- M4** **Thermoform Acrylic**
- M5** **Stainless Steel**



TYPICAL EXAMPLE
Type F3
 Elevator Egress Plaque

Note: Architect or Designer to prepare floor plan art for Contractor. Diagram to orient up as person faces elevator doors.




OWNER/DESIGNER TO PROVIDE

- Digital files for floor plan artwork (Adobe Illustrator CC)

CONTRACTOR TO PROVIDE:

- Shop drawings
- Face layouts for all signs
- Location Plan
- Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
- Prototype(s) for approval of all sign types

CONTRACTOR TO VERIFY FIELD CONDITIONS



Mounting Guidelines (Wall)
 Sign to mount with VHB foam tape and silicone

ISSUE	DATE
REFERENCE SET	05.10.2024



Fabrication Notes

- A** 1/4" acrylic plaque painted [MP32071 White Wonder, satin]
- B** Digital printed graphic and text applied to first surface, satin clear overcoat, mounted to acrylic spacer plate. Graphic colors as indicated
- C** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]


Paint Colors

- P1** Light Gray to match Matthews MP03340 Grey Fog, satin
- P2** Dark Gray to match Matthews MP10124 Gloomy Grey, satin
- P3** Red to match Matthews MP12602 Scarlata, satin
- P4** Black to match Matthews MP33764 Black Indigo, satin
- P5** White to match Matthews MP32071 White Wonder, satin
- P6** Blue to match Matthews MP00359 Belize Blue, satin
- P7** Grey Metallic to match Matthews MP18145 Lead Grey Metallic

Material


- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel

Sign Type F3
 Elevator Egress Plaque



TYPICAL EXAMPLE
Type F4
 Hallway Egress Plaque

Note: Architect or Designer to prepare floor plan art for Contractor. Diagram to orient up as person faces wall.



Side View

- A** P5 M1
- B**
- Colors**
- Wall Outlines
PMS Cool Grey 10
- Hallway
PMS Cool Grey 5
- You Are Here
PMS 485


OWNER/DESIGNER TO PROVIDE

- Digital files for floor plan artwork (Adobe Illustrator CC)

CONTRACTOR TO PROVIDE:

- Shop drawings
- Face layouts for all signs
- Location Plan
- Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
- Prototype(s) for approval of all sign types

CONTRACTOR TO VERIFY FIELD CONDITIONS



Mounting Guidelines (Wall - Hallway)
 Sign to mount with VHB foam tape and silicone

ISSUE	DATE
REFERENCE SET	05.10.2024



Fabrication Notes

- A** 1/4" acrylic plaque painted [MP32071 White Wonder, satin]
- B** Direct print digital graphic applied to first surface, satin clear overcoat, mounted to acrylic spacer plate. Graphic colors as indicated
- C** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors

- P1** ■ **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** ■ **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** ■ **Red** to match Matthews MP12602 Scarlata, satin
- P4** ■ **Black** to match Matthews MP33764 Black Indigo, satin
- P5** ■ **White** to match Matthews MP32071 White Wonder, satin
- P6** ■ **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** ■ **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** ■ **Painted Acrylic**
- M2** ■ **Aluminum**
- M3** ■ **Vinyl**
- M4** ■ **Thermoform Acrylic**
- M5** ■ **Stainless Steel**


Sign Type F4
 Hallway Egress Plaque

ISSUE	DATE
REFERENCE SET	05.10.2024




- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types

CONTRACTOR TO VERIFY FIELD CONDITIONS




**Mounting Guidelines Type F6
(When Type B or F are present)**
Sign to mount with VHB
foam tape and silicone



Type F5
Maximum Occupancy Plaque

Note: Sign type F5 is required in all spaces rated for fifty (50) or more occupants.
Provide one sign per space. Locate prominently on occupant side near an entry door.
Architect/Owner to furnish occupancy count.



Type F6
Area of Refuge Plaque - Hallway Side

Note: For use in non-sprinklered buildings where required by NFPA.

Fabrication Notes

- A** 1/4" acrylic plaque, painted [MP32071 White Wonder, satin]. Copy Screenprints to match Matthews MP10124 Gloomy Grey, satin]
- B** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]
- C** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin]
- D** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- F** Braille painted [MP32071 White Wonder, satin]

Paint Colors

- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material



- M1** **Painted Acrylic**
- M2** **Aluminum**
- M3** **Vinyl**
- M4** **Thermoform Acrylic**
- M5** **Stainless Steel**

Sign Type F5 / F6
Maximum Occupancy Plaque
Area of Refuge Plaque

CONTRACTOR TO PROVIDE:

- Shop drawings
- Face layouts for all signs
- Location Plan
- Paint and Material samples
3-1/2x3-1/2" (Quantity 4)
- Prototype(s) for approval of all sign types

CONTRACTOR TO VERIFY FIELD CONDITIONS



Type G
Miscellaneous Vinyl (representative examples shown)

Note: Applications will dictate size and color decisions. Default color white.
Applications on glass to be white.

Fabrication Notes

- A** Cut and applied white vinyl, 3M 220 series, first surface
- B** Text Helvetica Neue Regular, Upper Case +25pt tracking

Paint Colors


- P1** ■ **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** ■ **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** ■ **Red** to match Matthews MP12602 Scarlata, satin
- P4** ■ **Black** to match Matthews MP33764 Black Indigo, satin
- P5** ■ **White** to match Matthews MP32071 White Wonder, satin
- P6** ■ **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** ■ **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** ■ **Painted Acrylic**
- M2** ■ **Aluminum**
- M3** ■ **Vinyl**
- M4** ■ **Thermoform Acrylic**
- M5** ■ **Stainless Steel**

Sign Type

G
Miscellaneous Vinyl




Type J
Directory (Building)
For use at lobbies and elevator lobbies.

Note: Sign font families - Frutiger
Changeable text panels - Helvetica


Fabrication Notes

- A** 1/2" acrylic back panel painted P5, [MP32071 White Wonder, satin]
- B** Header, 3/16" acrylic panel painted [MP32071 White Wonder, satin]. Text screen prints to match P2 [MP10124 Gloomy Grey, satin]. Acrylic accent piece paint black P4, with screen printed white logo
- C** Footer, 3/16" acrylic panel painted P5, [MP32071 White Wonder, satin]. Digital printed graphic applied to first surface, satin clear overcoat, mounted to acrylic back panel with thin mil adhesive
- D** Aluminum channels to house digital inserts - clear anodized finish
- E** Digital produced inserts printed on 3/16" (5mm) white PVC panel - [Sintra]. Contractor to provide inserts based on Owner/Architect's message schedule
- F** 1/4" acrylic; paint P3, [MP12602 Scarlata, satin]. Text screen printed white. Permanently set in aluminum channels



Colors
Background color - PMS Cool Grey 1
52 pt. Helvetica Bold and Regular Color - PMS Cool Grey 10

Note: Architect or Designer to prepare floor plan art for Contractor. Diagram to orient up as person faces wall.



Paint Colors

- P1** Light Gray to match Matthews MP03340 Grey Fog, satin
- P2** Dark Gray to match Matthews MP10124 Gloomy Grey, satin
- P3** Red to match Matthews MP12602 Scarlata, satin
- P4** Black to match Matthews MP33764 Black Indigo, satin
- P5** White to match Matthews MP32071 White Wonder, satin
- P6** Blue to match Matthews MP00359 Belize Blue, satin
- P7** Grey Metallic to match Matthews MP18145 Lead Grey Metallic

Material

- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel


OWNER/DESIGNER TO PROVIDE

- Digital files for floor plan artwork (Adobe Illustrator CC)

CONTRACTOR TO PROVIDE:

- Shop drawings
- Face layouts for all signs
- Location Plan
- Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
- Prototype(s) for approval of all sign types


CONTRACTOR TO VERIFY FIELD CONDITIONS



Mounting Guidelines (wall)
Sign to pin mount with VHB foam tape and silicone


ISSUE	DATE
REFERENCE SET	05.10.2024

ISSUE	DATE
REFERENCE SET	05.10.2024



- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
 - 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types

CONTRACTOR TO VERIFY FIELD CONDITIONS



Mounting Guidelines (wall)
Sign to pin mount with VHB foam tape and silicone

University of Houston
Interior Sign Program



Fabrication Notes

- A** 1/2" acrylic back panel painted P5, [MP32071 White Wonder, satin]
- B** Header, 3/16" acrylic panel painted [MP32071 White Wonder, satin]. Text screen prints to match P2 [MP10124 Gloomy Grey, satin]. Acrylic accent piece paint black P4, with screen printed white logo
- C** Acrylic footer band painted [MP33764 Black Indigo, satin]
- D** Aluminum channels to house digital inserts - clear anodized finish
- E** Digital inserts direct print to 3/16" white foam-core




Paint Colors

- P1** ■ **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** ■ **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** ■ **Red** to match Matthews MP12602 Scarlata, satin
- P4** ■ **Black** to match Matthews MP33764 Black Indigo, satin
- P5** ■ **White** to match Matthews MP32071 White Wonder, satin
- P6** ■ **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** ■ **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** ■ **Painted Acrylic**
- M2** ■ **Aluminum**
- M3** ■ **Vinyl**
- M4** ■ **Thermoform Acrylic**
- M5** ■ **Stainless Steel**

Sign Type J1
Directory (Department)



Type K
Suite Entry Vinyl

Note:
Request UH logo vector file through UH Branding at <https://www.uh.edu/marcom/requests/logo/>

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**

Fabrication Notes

- A** Cut and applied white vinyl, 3M 220 series, first surface
- B** UH Lockup
- C** Text Helvetica Neue Regular, Title Case

Paint Colors

- P1** ■ **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** ■ **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** ■ **Red** to match Matthews MP12602 Scarlata, satin
- P4** ■ **Black** to match Matthews MP33764 Black Indigo, satin
- P5** ■ **White** to match Matthews MP32071 White Wonder, satin
- P6** ■ **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** ■ **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic


Material

- M1** ■ **Painted Acrylic**
- M2** ■ **Aluminum**
- M3** ■ **Vinyl**
- M4** ■ **Thermoform Acrylic**
- M5** ■ **Stainless Steel**



Type K1
Suite Identification Plaque (Multi-Tenant)

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**



Mounting Guidelines (Wall)
Sign to mount with VHB foam tape and silicone



Installation on glass requires opaque white vinyl applied on first surface prior to mounting plaque. Plaque applies to vinyl.

Fabrication Notes


- A** 1/8" Thermoform plaque painted [MP32071 White Wonder, satin]. Plaque applied to 1/4" back plate painted [MP32071 White Wonder, satin]
- B** Acrylic square painted [Matthews MP12602 Scarlata, satin], exposed edges to be painted same color
- C** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- D** Braille painted [MP32071 White Wonder, satin]
- E** 1/8" Acrylic plaque painted [MP32071 White Wonder, satin]. Plaque applied to 1/4" back plate
- F** Letters [not raised] screen printed [Matthews MP10124 Gloomy Grey, satin]
- G** Visible seam created by lightly eased edges
- H** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors



- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material


- M1** **Painted Acrylic**
- M2** **Aluminum**
- M3** **Vinyl**
- M4** **Thermoform Acrylic**
- M5** **Stainless Steel**



M2 **A**
3"
4-1/2"
**Institute for
Global Engagement**



Grey Metallic
Matthews MP18145
Lead Grey Metallic



White
Matthews MP32071
White Wonder, satin



White
Matthews MP32071
White Wonder, satin

Type K2
Reception Wall Type
(Raised letters)

Note: 3" letter height is standard. Architect/Designer may propose larger letter sizes for architectural and visibility considerations in locations such as entry lobbies and other large, multi-height spaces. Larger letter sizes require approval of University Architect. Copy to be upper and lowercase.

Fabrication Notes

- A** Cut aluminum letters painted P7 [MP18145 Lead Gray Metallic] or P6 White Matthews MP32071 White Wonder, satin
- B** Pin mount and silicone to vertical surface - flush to surface
- C** Font - Helvetica Neue Medium, Title case

Paint Colors


- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** **Painted Acrylic**
- M2** **Aluminum**
- M3** **Vinyl**
- M4** **Thermoform Acrylic**
- M5** **Stainless Steel**


- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**

Sign Type K2
Reception Wall Type





Type L
Wayfinding Panel (Suspended)

Note: Sign font - Frutiger 65 Bold.



SAMPLE LAYOUTS, DOUBLE SIDED.



- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**

ISSUE	DATE
REFERENCE SET	05.10.2024



Fabrication Notes

- A** 1/8" acrylic panels painted [MP32071 White Wonder, satin]. Panels double sided.
- B** 1/4" thick acrylic center panel, edges painted [MP32071 White Wonder, satin]
- C** 1/8" thick acrylic square painted [Matthews MP12602 Scarlata, satin]
- D** Vinyl text, 3M 220 Series Dark Grey
- E** 1/2" aluminum U channel for structure painted [MP32071 White Wonder, satin]
- F** Mounting rod painted [MP32071 White Wonder, satin]

Paint Colors


- P1** Light Gray to match Matthews MP03340 Grey Fog, satin
- P2** Dark Gray to match Matthews MP10124 Gloomy Grey, satin
- P3** Red to match Matthews MP12602 Scarlata, satin
- P4** Black to match Matthews MP33764 Black Indigo, satin
- P5** White to match Matthews MP32071 White Wonder, satin
- P6** Blue to match Matthews MP00359 Belize Blue, satin
- P7** Grey Metallic to match Matthews MP18145 Lead Grey Metallic

Material


- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel

Sign Type
L
Wayfinding Panel (Suspended)

ISSUE	DATE
REFERENCE SET	05.10.2024
REVISION	07.22.2024



- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
 - 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**



Type L1
Wayfinding Panel
(Wall Mounted, Small)
Connected Buildings

Type L2
Wayfinding Panel
(Wall Mounted, Large)
Connected Buildings

Type L3
Wayfinding Panel
(Wall Mounted)
Single Building
Maximum 5 Listings

Mounting Guidelines (wall)
Sign to pin mount with VHB
foam tape and silicone

University of Houston
Interior Sign Program



Fabrication Notes

- A** 1/2" acrylic back panel painted P5, [MP32071 White Wonder, satin]
- B** 1/8" acrylic panel painted [MP32071 White Wonder, satin] or P1 [MP03340 Grey Fog, satin]
Panel edges lightly eased to create visible seam. Text screen prints to match P2 [MP10124 Gloomy Grey, satin]
- C** Accent square painted [Matthews MP12602 Scarlata, satin], exposed edges to be painted same color. Arrow graphic prints [MP32071 White Wonder, satin]. Panels apply to back panel with thin double sided tape
- D** Text Frutiger Roman and 65 Bold, Title Case




Paint Colors

- P1** ■ **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** ■ **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** ■ **Red** to match Matthews MP12602 Scarlata, satin
- P4** ■ **Black** to match Matthews MP33764 Black Indigo, satin
- P5** ■ **White** to match Matthews MP32071 White Wonder, satin
- P6** ■ **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** ■ **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** ■ **Painted Acrylic**
- M2** ■ **Aluminum**
- M3** ■ **Vinyl**
- M4** ■ **Thermoform Acrylic**
- M5** ■ **Stainless Steel**

Sign Type
L1 / L2 / L3
Wayfinding Panels
(Wall Mount)




Note: Provide M2 flag signs in close proximity to fire extinguishers that are located (1) on the normal path of exit travel in public hallways and (2) in laboratories and workshops. M2 flag signs are generally not necessary in electrical and other rooms.

UH Project Manager to confirm proposed locations of fire extinguishers, AED devices and related flag signs with UH Fire Marshal Office.

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types

CONTRACTOR TO VERIFY FIELD CONDITIONS



Sign assembly attaches to surface with anchor bolts suitable for wall material

Fabrication Notes

- A** 1/8" acrylic plaque, painted [MP32071 White Wonder, satin]
- B** Screen printed graphics painted to match indicated colors (2 sides)
- C** 5/8" aluminum channel painted to match [MP33764 Black Indigo, satin]
- D** 1/8" acrylic center panel painted to match [MP12602 Scarlata, satin]
- E** Sign panels placed in channel and held with set screws, flush when tightened

Paint Colors

- P1** ■ **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** ■ **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** ■ **Red** to match Matthews MP12602 Scarlata, satin
- P4** ■ **Black** to match Matthews MP33764 Black Indigo, satin
- P5** ■ **White** to match Matthews MP32071 White Wonder, satin
- P6** ■ **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** ■ **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material


- M1** ■ **Painted Acrylic**
- M2** ■ **Aluminum**
- M3** ■ **Vinyl**
- M4** ■ **Thermoform Acrylic**
- M5** ■ **Stainless Steel**

Sign Type
M / M1 / M2
Flag Signs




Type N
Assistive Listening Plaque
(Classroom Side)

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**



**Mounting Guidelines Type N and F5
(Classroom Side)**
Signs to mount with VHB foam tape
and silicone



**Mounting Guidelines Type N
(Classroom Side)**
Sign to mount with VHB foam tape
and silicone

Fabrication Notes

- A** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin]
- B** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- C** Braille painted [MP32071 White Wonder, satin]
- D** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors


- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** **Painted Acrylic**
- M2** **Aluminum**
- M3** **Vinyl**
- M4** **Thermoform Acrylic**
- M5** **Stainless Steel**

ISSUE	DATE
REFERENCE SET	05.10.2024





Note: UH Project Manager to verify phone numbers prior to fabrication.




UH at Sugar Land
UH PROJECT MANAGER TO VERIFY PHONE NUMBERS PRIOR TO FABRICATION

Note: Provide "Need Assistance?" signs at 1) general purpose classrooms controlled and scheduled by the University Registrar and 2) classrooms controlled by individual colleges and departments.

For classrooms controlled by colleges and departments, consult with the UH Project Manager to obtain the correct Technology phone number, which will be different from the number for general purpose classrooms.



UH at Katy
UH PROJECT MANAGER TO VERIFY PHONE NUMBERS PRIOR TO FABRICATION




Type D
Clear View Sheet Holder of Classrooms

Aluminum sheet holder sized for an 8 1/2 x 11" vertical sheet. Clear acrylic lens face

Note: Provide Type D sheet holders with "Need Assistance" Plaques. Architect or Owner to provide floor plan inserts at all classrooms and lecture halls.

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
 - 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types


CONTRACTOR TO VERIFY FIELD CONDITIONS



Mounting Guidelines (Typical)
(Interior wall - Classroom Side)

Sign to mount with VHB foam tape and silicone

Note: Type O plaque should NOT be applied to glass side panels when present. Placement should be within close proximity to entry door as space allows.



Mounting Guidelines
Types E5, D and O
(Interior wall - Classroom side)

Signs to mount with VHB foam tape and silicone

Fabrication Notes

- A** 1/4" acrylic plaque painted [MP32071 White Wonder, satin]
- B** Digital applied text - Color Match P2 and P3 as indicated
- C** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors

- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** **Painted Acrylic**
- M2** **Aluminum**
- M3** **Vinyl**
- M4** **Thermoform Acrylic**
- M5** **Stainless Steel**



Sign Type
O
Need Assistance
Plaque

ISSUE	DATE
REFERENCE SET	05.10.2024
REVISION	02.12.2026



Type S
Campus Recycling Panel

Side View

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types

CONTRACTOR TO VERIFY FIELD CONDITIONS



Locate sign in University Required Space, Recycling Room.

Mounting Guidelines (wall)
Plaque to mount with VHB foam tape and silicone

Fonts
Interstate, Regular
Interstate, *Italic*
Interstate, **Black**

Fabrication Notes

- A** 1/4" acrylic panel painted [MP32071 White Wonder, satin]
- B** Direct digital printed graphic applied to first surface of acrylic panel. Panel to be have satin clear overcoat and mounted to acrylic spacer plate. Graphic colors to match as indicated.
- C** 1/16" undersized acrylic spacer plate, painted [MP32071 White Wonder, satin]
Panel mounted to wall surface with VHB foam tape and silicone.

Paint Colors

- P1** ■ **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** ■ **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** ■ **Red** to match Matthews MP12602 Scarlata, satin
- P4** ■ **Black** to match Matthews MP33764 Black Indigo, satin
- P5** □ **White** to match Matthews MP32071 White Wonder, satin
- P6** ■ **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** ■ **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** ■ **Painted Acrylic**
- M2** ■ **Aluminum**
- M3** ■ **Vinyl**
- M4** ■ **Thermoform Acrylic**
- M5** ■ **Stainless Steel**

Sign Type
S
Campus Recycling Panel

CONTRACTOR TO PROVIDE:

- Shop drawings
- Face layouts for all signs
- Location Plan
- Paint and Material samples
3-1/2x3-1/2" (Quantity 4)
- Prototype(s) for approval of all sign types


CONTRACTOR TO VERIFY FIELD CONDITIONS

Mounting Guidelines (Wall)

Plaque to mount to wall surface
in location determined by Owner.

Acrylic mount with VHB foam tape
and silicone. Stainless steel mount
with VHB tape and silicone or pin
mount with VHB foam tape and silicone
as determined by location.

ISSUE	DATE
REFERENCE SET	05.10.2024
-	-



PA1 - Acrylic

PA2 - Stainless Steel

Note: Choice of material and location of sign to be determined in consultation with Public Art of the University of Houston System. (PAUHS)

PAUHS to supply artist information and interpretive paragraph, if any.

Fabrication Notes

- A** Acrylic plaque, 3/16" thick, gently beveled edges, painted white. P5, [MP32071 White Wonder, satin]
- B** Screen printed text, gray. P2 [MP10124 Gloomy Grey, satin]
- C** Stainless steel plate, 1/8" thick, etched and infill white. Light non-directional finish. Eased edges


Paint Colors

- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic


Material

- M1** **Painted Acrylic**
- M2** **Aluminum**
- M3** **Vinyl**
- M4** **Thermoform Acrylic**
- M5** **Stainless Steel**





Type R1
Donor Recognition Plaque



Type R1a
Recognition Plaque,
alternative example

John and Mary Donor Science Center

Type R2
Donor Recognition Cut Letters



Single Name, Landscape (preferred orientation)

Type R3
Individual Tribute Plaque
(Landscape)




Multiple Names


Type R3a
Group Tribute Plaque (Portrait)




Multiple Names
Type R4
Group Donor Recognition
Plaque (Portrait)



Multiple Names
Type R4a
Group Donor Plaque,
alternative example




Type R5
Standard Donor Wall




Type R6
Donor Story Plaque

ISSUE	DATE
REFERENCE SET	05.10.2024




- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**



Mounting Guidelines (wall)
DONOR RECOGNITION PLAQUE
Type R1 and R1a GIFT to above standard
Type B plaque. Sign to mount with
VHB foam tape and silicone

TYPICAL TYPE B ROOM PLAQUE (Refer to Sheet 03 for Type B Plaque)

Type R1
Donor Recognition
Plaque



Type R1a
Recognition Plaque, alternative example

Fabrication Notes

- A** 1/8" thick stainless steel plaque. Light non-directional finish
- B** Copy etched and infilled white
- C** 1/4" acrylic spacer plate, edges painted metallic grey [MP18145 Lead Gray Metallic]
Face plate epoxy to spacer plate.
- D** 1/16" undersized back spacer plate, painted metallic grey [MP18145 Lead Gray Metallic]
- E** Fonts - Helvetica Neue Regular, Light, Light Italic

Paint Colors

- P1** Light Gray to match Matthews MP03340 Grey Fog, satin
- P2** Dark Gray to match Matthews MP10124 Gloomy Grey, satin
- P3** Red to match Matthews MP12602 Scarlata, satin
- P4** Black to match Matthews MP33764 Black Indigo, satin
- P5** White to match Matthews MP32071 White Wonder, satin
- P6** Blue to match Matthews MP00359 Belize Blue, satin
- P7** Grey Metallic to match Matthews MP18145 Lead Grey Metallic

Side View

Material

- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel

John and Mary Donor Science Center

SINGLE LINE ARRANGEMENT


John and Mary Donor Science Center

MULTIPLE LINE ARRANGEMENT

Type R2

Donor Recognition Cut Letters


Note: 3" letter height is standard. Architect/Designer may propose larger letter sizes for architectural and visibility considerations in locations such as entry lobbies and other large, multi-height spaces. Larger letter sizes require approval of University Architect. Copy to be upper and lowercase.




CONTRACTOR TO PROVIDE:

- Shop drawings
- Face layouts for all signs
- Location Plan
- Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
- Prototype(s) for approval of all sign types

CONTRACTOR TO VERIFY FIELD CONDITIONS



Typical installation at named rooms.
Lettersize may be larger in other applications



Mounting Guidelines
Letters to pin mount with VHB foam tape and silicone

Fabrication Notes

- A** Cut aluminum letters painted P7 [MP18145 Lead Gray Metallic] or other Gray Metallic for contrast
- B** Pin mount and silicone to vertical surface - flush to surface
- C** Font - Helvetica Neue Medium, + 25pt spacing, Title case


Paint Colors

- P1** ■ **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** ■ **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** ■ **Red** to match Matthews MP12602 Scarlata, satin
- P4** ■ **Black** to match Matthews MP33764 Black Indigo, satin
- P5** ■ **White** to match Matthews MP32071 White Wonder, satin
- P6** ■ **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** ■ **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic


Material

- M1** ■ **Painted Acrylic**
- M2** ■ **Aluminum**
- M3** ■ **Vinyl**
- M4** ■ **Thermoform Acrylic**
- M5** ■ **Stainless Steel**


ISSUE	DATE
REFERENCE SET	05.10.2024



Type R3 - Individual Tribute Plaque (Landscape)




Type R3a - Group Tribute Plaque (Portrait)



Side View

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
 - 3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types

CONTRACTOR TO VERIFY FIELD CONDITIONS



Mounting Guidelines (wall)
Plaque to pin mount with VHB foam tape and silicone

Fabrication Notes

- A** Stainless steel face plate, 1/8" thick, light non-directional finish.
- B** Copy etched and infilled white
- C** 3/8" acrylic spacer plate, edges painted metallic grey [MP18145 Lead Gray Metallic]
Face plate pin mount and epoxy to spacer plate

Paint Colors


- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** **Painted Acrylic**
- M2** **Aluminum**
- M3** **Vinyl**
- M4** **Thermoform Acrylic**
- M5** **Stainless Steel**

ISSUE	DATE
REFERENCE SET	05.10.2024


ISSUE	DATE
REFERENCE SET	05.10.2024



Type R4
Group Donor Plaque




Type R4a
Group Donor Plaque, alternative example



Side View

Masonry,
Sheetrock or
Wood



Mounting Guidelines (wall)
Plaque to pin mount with VHB foam
tape and silicone

- CONTRACTOR TO PROVIDE:**
- Shop drawings
 - Face layouts for all signs
 - Location Plan
 - Paint and Material samples
3-1/2x3-1/2" (Quantity 4)
 - Prototype(s) for approval of all sign types
- CONTRACTOR TO VERIFY FIELD CONDITIONS**

Fabrication Notes

- A** Stainless steel face plate, 1/8" thick, light non-directional finish.
- B** Copy etched and infilled white
- C** 3/8" acrylic spacer plate, edges painted metallic grey [MP18145 Lead Gray Metallic]
Face plate pin mount and epoxy to spacer plate

Paint Colors

- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel

CONTRACTOR TO PROVIDE:

- Shop drawings
- Face layouts for all signs
- Location Plan
- Paint and Material samples
3-1/2x3-1/2" (Quantity 4)
- Prototype(s) for approval of all sign types


CONTRACTOR TO VERIFY FIELD CONDITIONS

Mounting Guidelines (wall)
Sign unit pin mounts to wall surface
with VHB foam tape and silicone


Material

- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel

Sign Type
R5
Standard Donor Wall



Detail Section View



Masonry,
Sheetrock or
Wood



Side View

Detail

Type R5
Standard Donor Wall

Note: Grid and panel configurations are customizable to required listing categories and specific name listings. Illustrative example shown. Listing categories, names and "as of" date to be provided by University Advancement.

Fabrication Notes

- A** 1/4" acrylic panels with 1/8" square channels between panel. Channels created by spaced application of face panels to backer panel. Panels painted [MP32071 White Wonder, satin]
- B** Header text cut aluminum letters 3/16" thick, painted [MP10124 Gloomy Grey]
Font - Helvetica Neue Medium, upper and lower case
- C** Donor listings screen printed to match [MP10124 Gloomy Grey]
Font - Helvetica Neue Regular, upper and lower case
- D** 1/2" acrylic backer panel with painted face and edges [MP32071 White Wonder, satin]
- E** Sign unit pin mounts to wall surface with VHB foam tape and silicone

Paint Colors

- P1** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- P2** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- P3** **Red** to match Matthews MP12602 Scarlata, satin
- P4** **Black** to match Matthews MP33764 Black Indigo, satin
- P5** **White** to match Matthews MP32071 White Wonder, satin
- P6** **Blue** to match Matthews MP00359 Belize Blue, satin
- P7** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

CONTRACTOR TO PROVIDE:


- Shop drawings
- Face layouts for all signs
- Location Plan
- Paint and Material samples 3-1/2x3-1/2" (Quantity 4)
- Prototype(s) for approval of all sign types

CONTRACTOR TO VERIFY FIELD CONDITIONS

Mounting Guidelines (wall)
Plaque to pin mount with VHB foam tape and silicone



Type R6
Donor Story Plaque



Side View



Fabrication Notes

- A** 1/2" aluminum plate painted to match [MP18145 Lead Gray Metallic]
- B** Copy screen printed white
- C** Photo digital printed on white 1/16" aluminum panel and applied to plate
- D** Panel to pin mount with VHB tape and silicone to wall surface
- E** Font - Helvetica Neue Regular and Bold

Paint Colors

- (P1)** **Light Gray** to match Matthews MP03340 Grey Fog, satin
- (P2)** **Dark Gray** to match Matthews MP10124 Gloomy Grey, satin
- (P3)** **Red** to match Matthews MP12602 Scarlata, satin
- (P4)** **Black** to match Matthews MP33764 Black Indigo, satin
- (P5)** **White** to match Matthews MP32071 White Wonder, satin
- (P6)** **Blue** to match Matthews MP00359 Belize Blue, satin
- (P7)** **Grey Metallic** to match Matthews MP18145 Lead Grey Metallic

Material

- M1** Painted Acrylic
- M2** Aluminum
- M3** Vinyl
- M4** Thermoform Acrylic
- M5** Stainless Steel

PAGE INTENTIONALLY LEFT BLANK